

IN THE CLAIMS

This listing of the claims will replace all prior versions and listings of the claims in the application.

1. (Original) A speaker module comprising:
 - a magnetic circuit having a magnetic gap;
 - a frame coupled with the magnetic circuit;
 - a first diaphragm coupled with a periphery of the frame;
 - a voice coil coupled with the first diaphragm, a part of the voice coil inserted into the magnetic gap;
 - a panel coupled with the periphery of the frame;
 - a second diaphragm coupled with the panel, thereby forming a hermetic space with the panel and the first diaphragm, and acoustically coupled with the first diaphragm; and
 - a light emitting section for emitting light to the panel,wherein the panel transmits the light from the light emitting section to a side of the second diaphragm.
2. (Original) The speaker module of claim 1,
 - wherein the second diaphragm is made of transparent material.
3. (Original) The speaker module of claim 1,
 - wherein the second diaphragm has a substantially plane shape.

4. (Original) The speaker module of claim 1,
wherein the second diaphragm is larger than the first diaphragm in area.

5. (Original) The speaker module of claim 1,
wherein at least a part of the panel is made of transparent material.

6. (Original) The speaker module of claim 1,
wherein the light emitting section is implanted in the panel.

7. (Original) The speaker module of claim 1,
wherein the light emitting section is a light emitting diode.

8. (Currently Amended) A device comprising:

a main unit; and

~~the speaker module of claim 1,~~

a speaker module including:

a magnetic circuit having a magnetic gap;

a frame coupled with the magnetic circuit;

a first diaphragm couple with a periphery of the frame;

a voice coil coupled with the first diaphragm, a part of the voice coil inserted into

the magnetic gap;

a panel coupled with the periphery of the frame;

a second diaphragm coupled with the panel, thereby forming a hermetic space
with the panel and the first diaphragm, and acoustically coupled with the first diaphragm; and
a light emitting section for emitting the light to the panel,
wherein the panel transmits the light from the light emitting section to a side of
the second diaphragm,

wherein the speaker module is installed into the main unit, supplied with electricity
from the main unit to the light emitting section, and emits light,

wherein the speaker module is supplied with electricity from the main unit to the voice
coil, and emits sound.

IN THE DRAWINGS

The attached drawing sheets includes changes to Figure 5. The attached sheet replaces the original sheet.

In Figure 5, the previous omitted legend “PRIOR ART” has been added to clarify the nature of the drawing.

Also please delete page 4 of the drawings, also labeled as “reference numerals in the drawings” in their entirety.

Attachment: Replacement Sheet

Annotated Sheet showing changes